








EC 60210-E1-S5V





ALGEMENE ONDERHOUDSVOORSCHRIFTEN :


Om de tafelbladen te beschermen mogen geen hete pannen, kaarsen of andere hete glazen op het oppervlakte geplaatst worden, gebruik hiervoor een beschermende onderligger.
 Reinigen van oppervlaktes : met licht vochtige doek of zeemvel reinigen en direct droog wrijven. Zeker geen vocht laten staan op de oppervlaktes. Gebruik van ruwe materialen zoals schuurspons, schuurmiddelen, chemische producten zoals verdunners ammoniak of boenwas zijn niet toegelaten. Ook geen siliconen houdende producten aanwenden zoals pledge enz.
 Garantie : Indien bovenstaande voorschriften niet gevolgd worden vervalt de garantie.

INFORMATION GENERALE D'ENTRETIEN :

Pour la protection de la surface des tables et autres éviter de mettre des casseroles chaudes ainsi que des bougies ou verres chaudes (thé) sur la surface sans protection.
 L'entretien des surfaces : Utilisez un chiffon légèrement humide et séchez aussitôt. Jamais laisser des liquides sur les surfaces, les meubles ne sont pas adaptés pour un emplacement dans des pièces humides. Des éponges abrasives, tout produits chimiques : ammoniac, detergent, diluent; ou cirage et produits d'entretien comme Pledge sont interdit. Garantie : La garantie expire si les prescriptions d'entretien générale ne sont pas respecter.




MAINTENANCE PRESCRIPTIONS :

To protect the table tops never put hot items on these surfaces. Clean with a slightly wet cloth and wipe dry immediately. Never let water or other wet items on the table tops, this furniture is not suitable for wet locations. Do not use solvent, thinner, or other chemical products to clean.
 Warranty : Expires if above prescriptions are not respected.





		PLASTIC DOWEL 8X25 A=32pcs
		CB SCREW M3.5X16 B=14pcs
		CB SCREW M4X30 C=4pcs
		CSK CAP M6X40 D=13pcs
		CSK CAP M6X50 E=7pcs

F1 MINIFIX 5654 (SCREW) 11pcs	F2 MINIFIX 5654 (HOUSING) 11pcs	G METAL SHELF SUPPORT 8pcs	H CAP 13pcs
I 1139 ROLLER BLACK 2sets	I1 1139 ROLLER BLACK 2sets	I2 1139 ROLLER BLACK 2sets	J 'U 0939' PLASTIC RAIL (BLACK) 1039MM 2pcs
K POWER NAIL 5/8" 33pcs	L PLASTIC PIN 6pcs	M ALLEN KEY 1pc	
N HANDLE 11036 (PVC) 1pc	O P/H SCREW M4X24MM 2pcs		





STEP 12





F2	M
MINIFIX 5654 (HOUSING)	ALLEN KEY
3 pcs	1 pc1

STEP 13




C
CB SCREW M4X30
4 pcs

STEP 14




F2	H	M
MINIFIX 5654 (HOUSING)	CAP	ALLEN KEY
6 pcs	6 pcs	1 pcs

STEP 15




Outside View




N	O
HANDLE 11036 (PVC)	P/H SCREW M4X24MM
1 pcs	2 pcs


STEP 16



Inside View




ADJUST UP & DOWN.






B	I1
CB SCREW M3.5X16	1139 ROLLER BLACK
2 pcs	2 pcs

1. SCREW AT THE CENTER SLIDING DOOR GUIDE
2. DO NOT FULLY TIGHTEN THE SCREW.
3. SO THAT, MAKE IT EASY TO ADJUST UP & DOWN.



STEP 17



Inside View




STEP 18




SLOT THE SLIDING DOOR GUIDE (I2) INTO THE PLASTIC RAIL AT PANEL NO.2

STEP 19





Back View


1 PUSH DOWN THE SLIDING DOOR GUIDE



2 PUSH UP & INSERT THE SLIDING DOOR GUIDE (I1) INTO THE GROOVE AT PANEL NO. 12




STEP 20



Back View

STEP 21



Back View

