PIPA

A

TECHNICAL SHEET

COVER Available in Leather and Fabric

TYPE OF LEG Available in Wooden leg or Metal leg / Black

SEAT CONSTRUCTION No-sag spring+Webbing

BACK CONSTRUCTION Webbing

SEAT FILLING High resilient Foam+Dacron

BACK FILLING High resilient Foam+Dacron
























SEAT SOFTNESS Soft

PACKAGE Carton/ KD Head & KD Leg

STITCHING Top Stitching

OPTIONAL CUSHION Pillow 45x45














PIECES & CONFIGURATIONS

CONFIGURATION	FRONT VIEW	SIDE VIEW	TOP VIEW	WEIGHT G.W.-Kg	WEIGHT N.W.-Kg	VOLUME (CBM)	LOAD -ABILITY (40HQ)	WIDTH (CM)	DEPTH (CM)	HEIGHT (CM)	SEAT DEPTH (CM)	SEAT HEIGHT (CM)	PACKAGE (PCS)	COVER OPTION LEATHER	COVER OPTION FABRIC
1(2A)|METAL LEG				45	38	0.75	88	111	103	96	57	48	1	Y	Y
1(2A)|E|HR(E)|WOODEN LEG				75	69	0.86	77	111	103/154	96/104	57	48	1	Y	Y
1(2A)|E|HR(E)|METAL LEG				75	69	0.86	77	111	103/154	96/104	57	48	1	Y	Y
2(2A)|HR(X)|WOODEN LEG				72	65	1.18	56	185	103	96/104	57	48	1	Y	Y
2(2A)|HR(X)|METAL LEG				72	65	1.18	56	185	103	96/104	57	48	1	Y	Y
1(LAF)|Metal legs				39	32	0.541	120	88	103	96	57	48	1	N	Y
1(RAF)|Metal legs				39	32	0.541	120	88	103	96	57	48	1	N	Y
1(LAF)|Wooden leg				39	32	0.541	120	88	103	96	57	48	1	N	Y
1(RAF)|Wooden leg				39	32	0.541	120	88	103	96	57	48	1	N	Y
1.5(LAF)|METAL LEG				42	35	0.75	88	113	103	96	57	48	1	Y	Y
1.5(RAF)|METAL LEG				42	35	0.75	88	113	103	96	57	48	1	Y	Y
1.5(LAF)|Wooden leg				42	35	0.75	88	113	103	96	57	48	1	Y	Y
1.5(RAF)|Wooden leg				42	35	0.75	88	113	103	96	57	48	1	Y	Y
1(LAF)|E|HR(E)|METAL LEG				60	53	0.641	101	88	103/154	96/104	57	48	1	N	Y
1(RAF)|E|HR(E)|METAL LEG				60	53	0.641	101	88	103/154	96/104	57	48	1	N	Y

K

PIPA




A


CONFIGURATION	FRONT VIEW	SIDE VIEW	TOP VIEW	WEIGHT G.W.-Kg	WEIGHT N.W.-Kg	VOLUME (CBM)	LOAD -ABILITY (40HQ)	WIDTH (CM)	DEPTH (CM)	HEIGHT (CM)	SEAT DEPTH (CM)	SEAT HEIGHT (CM)	PACKAGE (PCS)	COVER OPTION LEATHER	COVER OPTION FABRIC
1(LAF)|E|HR(E)|WOODEN LEG				60	53	0.641	101	88	103/154	96/104	57	48	1	N	Y
1(RAF)|E|HR(E)|WOODEN LEG				60	53	0.641	101	88	103/154	96/104	57	48	1	N	Y
1.5(LAF)|E|HR(E)|METAL LEG				75	69	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1.5(RAF)|E|HR(E)|METAL LEG				75	69	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1.5(LAF)|E|HR(E)|WOODEN LEG				72	66	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1.5(RAF)|E|HR(E)|WOODEN LEG				72	66	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1(LAF)|E|HR(E)|LUMBAR SUPPORT|Metal legs				63	56	0.641	101	88	103/154	96/104	57	48	1	N	Y
1(RAF)|E|HR(E)|LUMBAR SUPPORT|Metal legs				63	56	0.641	101	88	103/154	96/104	57	48	1	N	Y
1(LAF)|E|HR(E)|LUMBAR SUPPORT|WOODEN LEG				63	56	0.641	101	88	103/154	96/104	57	48	1	N	Y
1(RAF)|E|HR(E)|LUMBAR SUPPORT|WOODEN LEG				63	56	0.641	101	88	103/154	96/104	57	48	1	N	Y
1.5(LAF)|E|HR(E)|LUMBAR SUPPORT|METAL LEG				75	69	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1.5(RAF)|E|HR(E)|LUMBAR SUPPORT|METAL LEG				75	69	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1.5(LAF)|E|HR(E)|LUMBAR SUPPORT|WOODEN LEG				75	69	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1.5(RAF)|E|HR(E)|LUMBAR SUPPORT|WOODEN LEG				75	69	0.86	77	113	103/154	96/104	57	48	1	Y	Y
1(OA)				30	23	0.375	173	60	103	96	57	48	1	N	Y
1(OA)|E|HR(E)				43	37	0.471	138	60	103/154	96/104	57	48	1	N	Y
1(OA)|E|HR(E)|LUMBAR SUPPORT				47	40	0.471	138	60	103/154	96/104	57	48	1	N	Y
1.5(0A)				39	32	0.50	131	85	103	96	57	48	1	Y	Y
1.5(0A)|E|HR(E)				52	45	0.63	104	85	103/154	96/104	57	48	1	Y	Y
1.5(0A)|E|HR(E)|LUMBAR SUPPORT				55	48	0.63	104	85	103/154	96/104	57	48	1	Y	Y

K


PIPA

A


CONFIGURATION	FRONT VIEW	SIDE VIEW	TOP VIEW	WEIGHT G.W.-Kg	WEIGHT N.W.-Kg	VOLUME (CBM)	LOAD -ABILITY (40HQ)	WIDTH (CM)	DEPTH (CM)	HEIGHT (CM)	SEAT DEPTH (CM)	SEAT HEIGHT (CM)	PACKAGE (PCS)	COVER OPTION LEATHER	COVER OPTION FABRIC
CL(LAF)|WITH METAL LEG				54	47	1.27	52	113	187	96	143	48	1	Y	Y
CL(RAF)|WITH METAL LEG				54	47	1.27	52	113	187	96	143	48	1	Y	Y
CL(LAF)|WITH WOODEN LEG				54	47	1.27	52	113	187	96	143	48	1	Y	Y
CL(RAF)|WITH WOODEN LEG				54	47	1.27	52	113	187	96	143	48	1	Y	Y
CL(0A)|LAF|METAL LEG				42	35	0.89	74	143	103	96	57	48	1	Y	Y
CL(0A)|RAF|METAL LEG				42	35	0.89	74	143	103	96	57	48	1	Y	Y
CL(0A)|LAF|WOODEN LEG				42	35	0.89	74	143	103	96	57	48	1	Y	Y
CL(0A)|RAF|WOODEN LEG				42	35	0.89	74	143	103	96	57	48	1	Y	Y
C				42	35	1.00	66	102	102	96	57	48	1	Y	Y
TRAPEZOID CT|WITH E METAL CUPHOLDER-HIDDEN|WITH WIRELESS CHARGE|WITH STORAGE				27	23	0.24	272	32/41	103	65	75	64	1	Y	Y
TRAPEZOID CT|WITH E METAL CUPHOLDER-HIDDEN|WITH WI				31	24	0.26	250	32/41	103	65	75	64	1	Y	Y
CT|WITH STORAGE|WITH E METAL CUPHOLDER-HIDDEN|WITH WIRELESS CHARGE|USB				24	20	0.21	314	33	103	65	75	64	1	Y	Y
O(WITH STORAGE)				24	20	0.17	395	83	55	48			1		Y
P								45	45					Y	Y



1.5(LAF)+1.5(RAF)



CL(0A)|+Corner+1.5(0A)+1.5(0A)+CL(RAF)



1.5(LAF)+1.5(0A)+C+1.5(0A)+1.5(RAF)

Abbreviation meaning: "X" stands for manaully adjustable, "E" stands for automatically adjustable with power button, "S" stands for swivel function, "G" stands for glider, "C" stands for Corner, "CT" stands for coffee table or cocktail table.

K

Upholstery sofas are hand-crafted products, thus measurements may vary in accuracy and precision, the actual products should be considered as final.