













































CONFIGURATION	Front View	Side View	Top View	WIDTH (CM)	DEPTH (CM)	HEIGHT (CM)	SEAT DEPTH (CM)	SEAT HEIGHT (CM)	PACKAGE (PCS)	WEIGHT G.W.-Kg	WEIGHT N.W.-Kg	VOLUME (CBM)	LOAD -ABILITY (40HQ)	COVER OPTION LEATHER	COVER OPTION FABRIC
1(2A) E HR(X)				107	103/163	80/100	55	48	1	61	54	0.75	88	Y	Y
2(2A)HR(X)				172	103	80/100	55	48	1	68	59	1.16	57	Y	Y
1(LAF) HR(X) 60CM				83	103	80/100	55	48	1	37	30	0.50	132	Y	Y
1(RAF) HR(X) 60CM				83	103	80/100	55	48	1	37	30	0.50	132	Y	Y
1(LAF)E HR(X) 60CM				79	103/163	80/100	55	48	1	52	45	0.60	110	Y	Y
1(RAF)E HR(X) 60CM				79	103/163	80/100	55	48	1	61	54	0.75	88	Y	Y
1.5(LAF)HR(X) 78CM				101	103	80/100	55	48	1	43	36	0.60	110	Y	Y
1.5(RAF)HR(X) 78CM				101	103	80/100	55	48	1	43	36	0.60	110	Y	Y
1.5(LAF)E HR(X) 78CM				101	103/163	80/100	55	48	1	56	49	0.75	88	Y	Y
1.5(RAF)E HR(X) 78CM				101	103/163	80/100	55	48	1	56	49	0.75	88	Y	Y

CONFIGURATION	Front View	Side View	Top View	WIDTH (CM)	DEPTH (CM)	HEIGHT (CM)	SEAT DEPTH (CM)	SEAT HEIGHT (CM)	PACKAGE (PCS)	WEIGHT G.W.-Kg	WEIGHT N.W.-Kg	VOLUME (CBM)	LOAD -ABILITY (40HQ)	COVER OPTION LEATHER	COVER OPTION FABRIC
1.5(LAF)HR(X) 85CM				108	103	80/100	55	48	1	45	38	0.75	88	Y	Y
1.5(RAF)HR(X) 85CM				108	103	80/100	55	48	1	45	38	0.75	88	Y	Y
1.5 (LAF)E HR(X) 85CM				108	103/163	80/100	55	48	1	63	56	0.75	88	Y	Y
1.5 (RAF)E HR(X) 85CM				108	103/163	80/100	55	48	1	63	56	0.75	88	Y	Y
1(OA) HR(X) 60CM				60	103	80/100	55	48	1	24	17	0.38	176	Y	Y
1(OA) E HR(X) 60CM				60	103/163	80/100	55	48	1	38	31	0.46	144	Y	Y
1.5(OA) HR(X) 78CM				78	103	80/100	55	48	1	30	23	0.50	132	Y	Y
1.5(OA) E HR(X) 78CM				78	103/163	80/100	55	48	1	45	38	0.55	121	Y	Y
1.5(OA) HR(X) 85CM				85	103	80/100	55	48	1	32	25	0.50	131	Y	Y
1.5(OA) E HR(X) 85CM				85	103/163	80/100	55	48	1	49	42	0.60	110	Y	Y

CONFIGURATION	Front View	Side View	Top View	WIDTH (CM)	DEPTH (CM)	HEIGHT (CM)	SEAT DEPTH (CM)	SEAT HEIGHT (CM)	PACKAGE (PCS)	WEIGHT G.W.-Kg	WEIGHT N.W.-Kg	VOLUME (CBM)	LOAD -ABILITY (40HQ)	COVER OPTION LEATHER	COVER OPTION FABRIC
CL(LAF)HR(X)				108	173	80/100	122	48	1	53	47	1.20	55	Y	Y
CL(RAF)HR(X)				108	173	80/100	122	48	1	53	47	1.20	55	Y	Y
TC(LAF) HR(X)				106	222	80/100	172	48	1	77	62	1.78	37	Y	Y
TC(RAF) HR(X)				106	222	80/100	172	48	1	77	62	1.78	37	Y	Y
CL(OA) (LAF) HR(X)				133	103	80/100	55	48	1	44	35	0.86	77	Y	Y
CL(OA) (RAF) HR(X)				133	103	80/100	55	48	1	44	35	0.86	77	Y	Y
CL(OA) (LAF) HR(X) Unusual				139	103	80/100	55	48	1	52	45	0.87	76	Y	Y
CL(OA) (RAF) HR(X) Unusual				139	103	80/100	55	48	1	52	45	0.87	76	Y	Y
SQUARE C HR(X)				118	118	80/100	55	48	1	49	40	1.22	54	Y	Y
CT STORAGE E METAL CUPHOLDER- HIDDEN WIRELESS CHARGE USB				33	101	66			1	16	12	0.19	340	Y	Y
O				100	69	50				22	18	0.29	230		

TECHNICAL **SHEET** > > > > >

Product style	Euro Contemporary	Back Construction	Webbing	Package	Carton/ KD Head & KD Leg
Cover	Available in Leather	Seat Filling	Pocket Spring+High Resilient Foam+Dacron	Stitching	Matching
Type of Leg	Metal/ Black	Back Filling	High Resilient Foam +Dacron	Cushion	Fixed
Seat Construction	No-sag spring+Webbing	Seat Softness	Firm		